

UNITED REPUBLIC OF TANZANIA



Ministry of Health

HEALTH FACILITY REGISTRY-FACILITY DETAILS

Facility Name:	SOMEDICS HEALTH CARE
Common name:	Somedics
Status:	Operating
Facility Code:	107528-2
Date Opened:	2013-03-07
Facility Type:	PolyClinic
Ownership:	Private, For Profit : DR. ALYKHAN DIAMONDALI SOMAN
Address:	Eastern Zone-Dar es Salaam Region - Ilala District - Ilala MC - Upanga Magharibi - Charambe
Official Phone:	0658799830
Website:	info@somedics.co.tz
In-charge Qualification:	
Nearest Facility:	101031-3 - DSB PolyClinic
CTC ID:	
MSD ID:	
MTUHA ID:	

FACILITY SERVICES - SOMEDICS HEALTH CARE

Service Category	Service Description
General Clinical Services	OPD - Outpatient Services
General Clinical Services	Minor Surgical Interventions
Malaria Diagnosis and Treatment	Slide Microscopy
Malaria Diagnosis and Treatment	mRDT - Rapid Diagnostic Tests
Malaria Diagnosis and Treatment	First Line Treatment
Cardiovascular Care and Treatment	ECG
Cardiovascular Care and Treatment	ECHO
HIV/AIDS Prevention	STI - Management of Sexually Transmitted Illness
HIV/AIDS Prevention	VCT - Voluntary Counseling and Testing
HIV/AIDS Prevention	PITC - Provider Initiated Testing And Counseling
Therapeutics	Dispensing Room
Diagnostic Services	Laboratory
Diagnostic Services	Radiology Services
Oral Health Service (Dental Services)	Dental Laboratory Services (Prosthesis)
Oral Health Service (Dental Services)	Emergency Dental Services
Oral Health Service (Dental Services)	Restoration
Oral Health Service (Dental Services)	Scaling
Oral Health Service (Dental Services)	Surgical Intervention
Emergency Preparedness	Basic Emergency Preparedness

FACILITY EQUIPMENT - SOMEDICS HEALTH CARE

Equipment Name:	Functional	Not Functional	Under Maintenance
Advanced Ultrasound machine.	1	0	0
B/P Machines	1	0	0
Dental Periapical x-ray	1	0	0
Centrifuge Machine (Electrical, RCF, RPM)	1	0	0
Chairs	50	0	0
Computer	12	0	0
Dental chair maneuverable to all operating positions	1	0	0
Drip stand	5	0	0
Electrical Centrifuge machine	1	0	0
Emergency Tray with medicines	1	0	0