

UNITED REPUBLIC OF TANZANIA



Ministry of Health

HEALTH FACILITY REGISTRY-FACILITY DETAILS

| | |
|---------------------------------|---|
| Facility Name: | MICO BEST |
| Common name: | Mico |
| Status: | Operating |
| Facility Code: | 112482-5 |
| Date Opened: | 2018-01-07 |
| Facility Type: | Dispensary |
| Ownership: | Private, Faith Based Organization (FBO) -Sunni: Muzdalifah Islamic Charitable Organization |
| Address: | Eastern Zone-Dar es Salaam Region - Temeke District - Temeke MC - Chamazi - Magengeni |
| Official Phone: | 0255714177 |
| Website: | |
| In-charge Qualification: | |
| Nearest Facility: | 111423-0 - HURUMA Dispensary |
| CTC ID: | |
| MSD ID: | |
| MTUHA ID: | |

| Service Category | Service Description |
|--|---|
| General Clinical Services | OPD - Outpatient Services |
| Malaria Diagnosis and Treatment | Slide Microscopy |
| Malaria Diagnosis and Treatment | mRDT - Rapid Diagnostic Tests |
| Therapeutics | Pharmacy |
| Therapeutics | Dispensing Room |
| Reproductive and Child Health Care Services | Family Planning |
| Reproductive and Child Health Care Services | Antenatal Care |
| Reproductive and Child Health Care Services | Postnatal Care |
| Reproductive and Child Health Care Services | Adolescent Reproductive Health Services |
| Non-Communicable Diseases Care and Treatment | Asthma |
| Support Services | Laundry Services |
| Vaccination | Nutritional Counseling |
| Radiology Services | Ultrasound |
| Laboratory Service-Parasitology | Malaria Rapid Diagnostic Test (mRDT) |
| Laboratory Service-Parasitology | Stool Analysis |
| Laboratory Service-Parasitology | Urine Analysis |
| Laboratory Service-Parasitology | Urine sedimentation |
| Laboratory Service-Serology | Helicobacter pylori |
| Laboratory Service-Serology | RPR/ VDRL Rapid Test |
| Laboratory Service-Haematology and Blood Transfusion | ABO Blood Grouping |
| Laboratory Service-Haematology and Blood Transfusion | Syphilis antibody (Commercial kits) |
| Laboratory Service-Clinical Chemistry | Blood Sugar/ Glucose Test (POCT) |
| Laboratory Service-Clinical Chemistry | UPT |
| Laboratory Service-Histopathology and Cytology | Seminal analysis |

FACILITY EQUIPMENT - MICO BEST

| Equipment Name: | Functional | Not Functional | Under Maintenance |
|---|-------------------|-----------------------|--------------------------|
| Sterilizer | 1 | 0 | 0 |
| Examination beds | 4 | 0 | 0 |
| Patient Beds | 4 | 0 | 0 |
| Sphygmomanometer (BP Machine) | 3 | 0 | 0 |
| Chairs | 6 | 0 | 0 |
| Microscope (AO if electricity is available) | 1 | 0 | 0 |
| Ambu bag Adult | 2 | 0 | 0 |
| Ambu Bag Children | 1 | 0 | 0 |
| B/P Machines | 3 | 0 | 0 |
| Cannula | 3 | 0 | 0 |
| Centrifuge Machine (Electrical, RCF, RPM) | 1 | 0 | 0 |
| Dressing trolley | 2 | 0 | 0 |
| Fire Extinguisher | 2 | 0 | 0 |
| Foetoscope | 1 | 0 | 0 |
| Forceps | 8 | 0 | 0 |
| Galipot | 10 | 0 | 0 |
| Beakers (500ml) | 1 | 0 | 0 |
| Haemoglonometer | 1 | 0 | 0 |
| Measuring cylinder (500ml) | 1 | 0 | 0 |
| ESR Machine | 1 | 0 | 0 |
| Refrigerated Centrifuge | 1 | 0 | 0 |
| Normal dental chair | 1 | 0 | 0 |
| Screen | 3 | 0 | 0 |
| Thermometer | 5 | 0 | 0 |
| Haemoglobin Machine | 1 | 0 | 0 |

| | | | |
|--|----|---|---|
| Scissors | 5 | 0 | 0 |
| Light Microscope | 1 | 0 | 0 |
| Gloves | 20 | 0 | 0 |
| Easy Touch | 1 | 0 | 0 |
| Full Blood Picture Machine | 1 | 0 | 0 |
| Clock | 4 | 0 | 0 |
| Safety Box | 10 | 0 | 0 |
| Urine analyser Machine | 1 | 0 | 0 |
| Standard Ultrasound | 1 | 0 | 0 |
| Tourniquet | 3 | 0 | 0 |
| Bed Pans, | 2 | 0 | 0 |
| Dressing drums different sizes, small and medium | 1 | 0 | 0 |
| Dressing drums of different sizes, small and medium | 1 | 0 | 0 |
| Wheelchair | 1 | 0 | 0 |
| Kidney dishes (Large) | 2 | 0 | 0 |
| Kidney Dishes (Medium) | 3 | 0 | 0 |
| Kidney dishes (Small) | 3 | 0 | 0 |
| Computer | 6 | 0 | 0 |
| Delivery Kits | 3 | 0 | 0 |
| Dressing tray | 4 | 0 | 0 |
| Drip stand | 5 | 0 | 0 |