

UNITED REPUBLIC OF TANZANIA



Ministry of Health

HEALTH FACILITY REGISTRY-FACILITY DETAILS

Facility Name:	AFYA MAX
Common name:	SUNGURA
Status:	Operating
Facility Code:	120915-4
Date Opened:	2018-05-19
Facility Type:	Diagnostic Centre
Ownership:	Private, For Profit : Dr. RICHARD E SUNGURA
Address:	Northern Zone-Arusha Region - Arusha District - Arusha CC - Ngarenaro - Kambi ya Fisi
Official Phone:	0757888871
Website:	
In-charge Qualification:	
Nearest Facility:	
CTC ID:	
MSD ID:	
MTUHA ID:	

FACILITY SERVICES - AFYA MAX

Service Category	Service Description
Radiology Services	CT Scan
Radiology Services	Ultrasound
Radiology Services	X-Ray
General Clinical Services	OPD - Outpatient Services
General Clinical Services	Physiotherapy
Laboratory Service-Parasitology	Blood film for haemoparasites
Laboratory Service-Parasitology	Blood Smear for Haemoparasites
Laboratory Service-Parasitology	Malaria Rapid Diagnostic Test (mRDT)
Laboratory Service-Parasitology	Serological test
Laboratory Service-Parasitology	Stool Analysis
Laboratory Service-Parasitology	Urine Analysis
Laboratory Service-Parasitology	Urine sedimentation
Laboratory Service-Serology	Helicobacter pylori
Laboratory Service-Serology	Hormonal Tests
Laboratory Service-Serology	Rapid Tests
Laboratory Service-Serology	Rheumatoid Test
Laboratory Service-Serology	RPR/ VDRL Rapid Test
Laboratory Service-Clinical Chemistry	Blood Sugar/ Glucose Test (POCT)
Laboratory Service-Clinical Chemistry	Electrolytes
Laboratory Service-Clinical Chemistry	Lipid Profile Test
Laboratory Service-Clinical Chemistry	Liver Function Tests
Laboratory Service-Clinical Chemistry	Protein (Commercial kits)
Laboratory Service-Clinical Chemistry	UPT
Laboratory Service-Clinical Chemistry	Uric acids

FACILITY EQUIPMENT - AFYA MAX

Equipment Name:	Functional	Not Functional	Under Maintenance
Analogue X-Ray machine	1	0	0
Ultrasound equipment	3	0	2
CT Scanner	0	0	1
Light Microscope	1	0	0
Full Blood Picture Machine	1	0	0
Digital X-Ray machine	1	0	0
Chemistry Analyser (POC)	1	0	0
Hormone Analyzer	1	0	0
ECG	1	0	0
Autoclave	1	0	0