

# UNITED REPUBLIC OF TANZANIA



## Ministry of Health

### HEALTH FACILITY REGISTRY-FACILITY DETAILS

<b>Facility Name:</b>	SAFE MASHA
<b>Common name:</b>	Masha
<b>Status:</b>	Operating
<b>Facility Code:</b>	125555-3
<b>Date Opened:</b>	2026-06-30
<b>Facility Type:</b>	Level IA2 (Dispensary Laboratory)
<b>Ownership:</b>	Private, For Profit : Bashiru Rashid Mninga
<b>Address:</b>	Central Zone-Dodoma Region - Dodoma District - Dodoma CC - Ipagala - Mlimwa West
<b>Official Phone:</b>	0613585345
<b>Website:</b>	
<b>In-charge Qualification:</b>	
<b>Nearest Facility:</b>	
<b>CTC ID:</b>	
<b>MSD ID:</b>	
<b>MTUHA ID:</b>	

**FACILITY SERVICES - SAFE MASHA**

<b>Service Category</b>	<b>Service Description</b>
Laboratory Service-Parasitology	Blood Smear for Haemoparasites
Laboratory Service-Serology	Brucella Weil's test
Laboratory Service-Serology	Helicobacter pylori
Laboratory Service-Clinical Chemistry	UPT
Laboratory Service-Clinical Chemistry	Urine Chemistry
Laboratory Service-Parasitology	Urine sedimentation
Laboratory Service-Parasitology	Stool Analysis
Laboratory Service-Parasitology	Urine Analysis
Laboratory Service-Parasitology	Malaria Rapid Diagnostic Test (mRDT)
Laboratory Service-Microbiology	Stool Test
Laboratory Service-Microbiology	Vigal Swab
Laboratory Service-Microbiology	Swabs for Wet
Laboratory Service-Serology	Hepatitis B Surface Antigen Rapid Test
Laboratory Service-Serology	Rheumatoid Test
Laboratory Service-Serology	RPR/ VDRL Rapid Test
Laboratory Service-Haematology and Blood Transfusion	ABO Blood Grouping
Laboratory Service-Haematology and Blood Transfusion	Haemoglobin Estimation

**FACILITY EQUIPMENT - SAFE MASHA**

<b>Equipment Name:</b>	<b>Functional</b>	<b>Not Functional</b>	<b>Under Maintenance</b>
Glucometer	1	0	0
Deep freezer	1	0	0
Gloves	100	0	0
Refrigrator	1	0	0
Safety Box	2	0	0
Antiseptics and disfectants as per IPC Standard	1	0	0
Micropipette Machine	1	0	0
Microscope Binocular (Electrical)	1	0	0
Haemocontrol Machine	1	0	0
Centrifuge Machine (Electrical, RCF, RPM)	1	0	0
ESR Machine	1	0	0
ELISA reader	0	0	0