UNITED REPUBLIC OF TANZANIA



Ministry of Health

HEALTH FACILITY REGISTRY-FACILITY DETAILS				
Facility Name:	ACDK			
Common name:	DMK Eye Clinic			
Status:	Operating			
Facility Code:	111629-2			
Date Opened:	2016-11-03			
Facility Type:	Dispensary			
Ownership:	Private, Faith Based Organization (FBO) -Anglican:			
Address:	Northern Zone-Manyara Region - Kiteto District - Kiteto DC - Partimbo - Partimbo			
Official Phone:	+255786649736			
Website:				
In-charge Qualification:	Not Set			
Nearest Facility:	103009-7 - KIPOK Dispensary			
CTC ID:				
MSD ID:				
MTUHA ID:				

FACILITY SERVICES - ACDK

Service Category	Service Description		
General Clinical Services	OPD - Outpatient Services		
Therapeutics	Dispensing Room		
Health Promotion and Disease Prevention	Community Mobilization		
Malaria Diagnosis and Treatment	First Line Treatment		
Malaria Diagnosis and Treatment	mRDT - Rapid Diagnostic Tests		
Eye Care and Treatment	Identification and referral of common eye diseases		
Eye Care and Treatment	Eye health promotion and education		
Eye Care and Treatment	Refractive and rehabilitative eye care Surgical treatment of eye diseases		
General Clinical Services	General Ophthalmology		
General Clinical Services	Major Surgical Interventions		
General Clinical Services	Minor Surgical Interventions		

FACILITY EQUIPMENT - ACDK

Equipment Name:	Functional	Not Functional	Under Maintenance
Pressure Pot	1	0	0
Safety Box	1	0	0
Delivery Kits	1	0	0
Delivery Beds	1	0	0
BP Machine	2	0	0
Bed Pans,	1	0	0
Drip stand	2	0	0
Kidney Dishes (Medium)	1	0	0
Weighing scale for adults	1	0	0
Weighing scale for children	1	0	0
Dressing tray	1	0	0
Immunization trays/Vaccine carrier/cold box	1	0	0
Beakers (1000ml)	1	0	0
Chattel forceps	3	0	0
Ambu Bag Children	2	0	0
Airway adult	1	0	0
Ambu bag Adult	1	0	0
B/P Machines	2	0	0
Featoscopes	2	0	0
Forceps	12	0	0
Glucometer	4	3	3
Hot air oven	1	0	0
Kidney dishes (Small)	8	0	0
Kidney dishes (Large)	2	0	0
Operating light 1	1	0	0
operating light	2	0	0

Examination beds	3	0	0
Patient stretcher	2	0	0
Thermometer	2	0	0