

UNITED REPUBLIC OF TANZANIA



Ministry of Health

HEALTH FACILITY REGISTRY-FACILITY DETAILS

Facility Name:	BANK OF TANZANIA
Common name:	BOT CLINIC
Status:	Operating
Facility Code:	120888-3
Date Opened:	2019-02-08
Facility Type:	Medical Clinic
Ownership:	Private, For Profit : BANK OF TANZANIA
Address:	Southern Highlands Zone-Mbeya Region - Mbeya District - Mbeya CC - Forest - Benki kuu
Official Phone:	0755699190
Website:	www@bot.go.tz
In-charge Qualification:	
Nearest Facility:	110740-8 - MZUMBE UNIVERSITY MBEYA Dispensary
CTC ID:	
MSD ID:	
MTUHA ID:	

FACILITY SERVICES - BANK OF TANZANIA

Service Category	Service Description
General Clinical Services	OPD - Outpatient Services
Malaria Diagnosis and Treatment	First Line Treatment
Malaria Diagnosis and Treatment	mRDT - Rapid Diagnostic Tests
Malaria Diagnosis and Treatment	Slide Microscopy
Laboratory Service-Parasitology	Stool Analysis
Laboratory Service-Parasitology	Urine Analysis
Laboratory Service-Serology	HIV Rapid Test
Laboratory Service-Serology	Rapid Tests
Laboratory Service-Serology	RPR/ VDRL Rapid Test
Laboratory Service-Haematology and Blood Transfusion	ABO Blood Grouping
Laboratory Service-Haematology and Blood Transfusion	Full Blood Picture
Laboratory Service-Haematology and Blood Transfusion	Haemoglobin Estimation
HIV/AIDS Prevention	DCT - Diagnostic Counseling and Testing
Non-Communicable Diseases Care and Treatment	Asthma
Non-Communicable Diseases Care and Treatment	Hypertensive and Cardiovascular

FACILITY EQUIPMENT - BANK OF TANZANIA

Equipment Name:	Functional	Not Functional	Under Maintenance
Chairs	10	0	0
BP Machine	2	0	0
Clinical thermometer	2	0	0
Autoclave	1	0	0
Refrigerator	1	0	0
Examination beds	2	0	0
Computer	3	0	0
Screen Four Folds	2	0	0
Microscope Binocular (Electrical)	2	0	0
Kidney Dishes (Medium)	2	0	0
Kidney dishes (Small)	2	0	0
Dressing drums different sizes, small and medium	2	0	0
Instrument trays(small, Medium, large)	2	0	0
Forceps	3	0	0
Full Blood Picture Machine	1	0	0
Chemistry Analyser (POC)	1	0	0
Glucometer	1	0	0
Haemoglobin Machine	1	0	0